

	CORRIGENDUM #1 For SUPPLY OF GAS PRESSURE REGULATORS for CITY GAS DISTRIBUTION PROJECT AT HYDERABAD, VIJAYAWADA AND KAKINADA <u>Bid Document No. MEC/23R8/01/51/S2/CF/00/0006</u>	Date: 07.11.2016
		Owner: M/s BHAGYANAGAR GAS LIMITED


Sl. No.	Description	Volume	Tender Page No.	Clause / Para / Section	Amendment / Addition / Modification / Deletion	
1.	Date and time for submission of bid	I of II	5 of 127	1.9 of IFB	Modification	Upto 15.00 hrs. (IST) on 17.11.2016
2.	Date and time of opening of Un-priced Bids at MECON Limited, Bengaluru	I of II	5 of 127	1.10 of IFB	Modification	At 16.00 hrs. (IST) on 17.11.2016 (If the particular day is happened to be a declared holiday in MECON, Bengaluru the next working day shall be considered)
3.	Financial BEC	I of II	8 of 127	Clause no. 3.2.4	Addition	In case the audited financial result of 2015-16 is available, then the bidder has an option to submit their audited financial results of 2013-14, 2014-15 & 2015-16 for annual turnover and 2015-16 for Working Capital & Net Worth. The same will be considered.
4.	TERMS OF PAYMENT	I of II	94 of 127	Section III C - Clause no. 1.1	Amendment	1.1 SUPPLY: A) 90 % (Ninety percent) payment of the supplied portion along with all taxes, duties and freight will be paid on receipt & acceptance of goods at FOT site after adjustment of PRS, if any along with submission of following documents: -

	CORRIGENDUM #1 For SUPPLY OF GAS PRESSURE REGULATORS for CITY GAS DISTRIBUTION PROJECT AT HYDERABAD, VIJAYAWADA AND KAKINADA <u>Bid Document No. MEC/23R8/01/51/S2/CF/00/0006</u>	Date: 07.11.2016
		Owner: M/s BHAGYANAGAR GAS LIMITED


Sl. No.	Description	Volume	Tender Page No.	Clause / Para / Section	Amendment / Addition / Modification / Deletion
					<p>i) Invoice in triplicate ii) Inspection Release note by Owner or his appointed or approved agency. iii) Original GR / LR iv) Packing List v) Insurance cover note covering transit insurance vi) Document related to CENVAT credit to be claimed by Owner, if applicable vii) Documents as specified in the Technical Specifications/ Material Requisition, Volume-II of II of the Bid Document.</p> <p>B) Balance 10% (ten percent) of the supplied portion will be paid within 30 days after successful integration and commissioning of the system as specified in the Technical Specifications/ Material Requisition after adjustment of PRS, if any duly certified by Engineer-in-Charge (EIC).</p> <p><u>However, in case of delay in the commissioning of the items supplied by party or there of beyond 6 months from the date of supply at site , the balance payment shall be released to the party withholding PRS, if applicable..</u></p>

	CORRIGENDUM #1 For SUPPLY OF GAS PRESSURE REGULATORS for CITY GAS DISTRIBUTION PROJECT AT HYDERABAD, VIJAYAWADA AND KAKINADA <u>Bid Document No. MEC/23R8/01/51/S2/CF/00/0006</u>	Date: 07.11.2016
		Owner: M/s BHAGYANAGAR GAS LIMITED



Sl. No.	Description	Volume	Tender Page No.	Clause / Para / Section	Amendment / Addition / Modification / Deletion	
5.	Material Requisition & Datasheet	II of II	9 of 35 16 of 35	Group A: Item A.3.0	Amendment	Intlet pressure shall be considered as 100 mbar (g) instead of 110 mbar.
6.	Material Requisition & Datasheet	II of II	9 of 35 10 of 35 18 of 35 20 of 35 22 of 35 24 of 35	Group B: Item B.1.0 Item B.2.0 Item B.3.0 Item B.4.0	Amendment	Outlet pressure shall be considered as 100 mbar (g) instead of 110 mbar.
7.	Datasheet	II of II	12 of 35 14 of 35	Item: A.1.0 Item: A.2.0	Amendment	Creep Relief Valve : 46±2 mbar (g) (the position of the atmospheric venting shall not be towards vertically top to avoid entry of foreign material in to the regulator).
8.	Datasheet	II of II	12 of 35 14 of 35 16 of 35 18 of 35 20 of 35 22 of 35 24 of 35 26 of 35 28 of 35	Item : A.1.0 A.2.0 A.3.0 B.1.0 B.2.0 B.3.0 B.4.0 B.5.0	Amendment	End connections: All Loose Nuts (Disconnecting / Connecting union) shall be Brass (Nickel coating permissible) only.

	CORRIGENDUM #1 For SUPPLY OF GAS PRESSURE REGULATORS for CITY GAS DISTRIBUTION PROJECT AT HYDERABAD, VIJAYAWADA AND KAKINADA <u>Bid Document No. MEC/23R8/01/51/S2/CF/00/0006</u>	Date: 07.11.2016
		Owner: M/s BHAGYANAGAR GAS LIMITED

Sl. No.	Description	Volume	Tender Page No.	Clause / Para / Section	Amendment / Addition / Modification / Deletion	
			30 of 35 32 of 35 34 of 35	B.6.0 B.7.0 B.8.0 B.9.0		
9.	Datasheet	II of II	12 of 35 14 of 35 16 of 35 18 of 35 20 of 35 22 of 35 24 of 35 26 of 35 28 of 35 30 of 35 32 of 35 34 of 35	Item: A.1.0 A.2.0 A.3.0 B.1.0 B.2.0 B.3.0 B.4.0 B.5.0 B.6.0 B.7.0 B.8.0 B.9.0	Amendment	General: Design: Direct acting spring control pressure regulator with in-built pressure reducing valve type balance regulating unit to ensure a constant outlet pressure having excess pressure slam shut device, insufficient downstream pressure slam shut device & relief valve.
10.	Datasheet	II of II	13 of 35 15 of 35 17 of 35	Item: A.1.0 A.2.0 A.3.0	Amendment	Accuracy Class (%): AC 20/ RG 20 or better complying to EN 334/ EN 88-1 (or) Equivalent

	CORRIGENDUM #1 For SUPPLY OF GAS PRESSURE REGULATORS for CITY GAS DISTRIBUTION PROJECT AT HYDERABAD, VIJAYAWADA AND KAKINADA <u>Bid Document No. MEC/23R8/01/51/S2/CF/00/0006</u>	Date: 07.11.2016
	Owner: M/s BHAGYANAGAR GAS LIMITED	



Sl. No.	Description	Volume	Tender Page No.	Clause / Para / Section	Amendment / Addition / Modification / Deletion	
11.	Datasheet	II of II	16 of 35	Item : A.3.0	Amendment	Type of reset : Auto

 Bhagyanagar Gas Ltd.	BHAGYANAGAR GAS LIMITED CITY GAS DISTRIBUTION PROJECT AT HYDERABAD, VIJAYAWADA AND KAKINADA SUPPLY OF GAS PRESSURE REGULATORS	 मेकॉन ISO 9001 Company
---	--	--

BID DOCUMENT NO. MEC/23R8/01/51/S2/CF/00/0006

CLARIFICATIONS TO QUERIES GIVEN BY BGL / MECON



SL. No.	Clause No. as per Tender	Bidders Query / Clarification	BGL/ MECON's CLARIFICATIONS
1)	REFERENCE STANDARDS Page No. 4 of 35, Vol. II of II	<p>PNGRB Guidelines, compliance to EN 334 standard shall be confirmed for all regulators. Leak test for all regulators shall be performed complying to EN13611.</p> <p>We understand the Approvals equivalent to EN 334 from the Government Authority of the manufacturer's Country is acceptable. Kindly confirm.</p>	<p>Tender condition prevails.</p> <p>As per PNGRB guidelines all pressure regulators for inlet pressures up to 100 bar shall comply to EN 334.</p>
2)	TERMS OF PAYMENT, Sec III C, Vol. I of II	<p>B) Balance 10% (ten percent) of the supplied portion will be paid within 30 days after successful integration and commissioning of the system as specified in the Technical Specifications/ Material Requisition after adjustment of PRS, if any duly certified by Engineer-in-Charge (EIC).</p>	Refer Corrigendum-1

 <p>Bhagyanagar Gas Ltd.</p>	<p>BHAGYANAGAR GAS LIMITED</p> <p>CITY GAS DISTRIBUTION PROJECT AT HYDERABAD, VIJAYAWADA AND KAKINADA</p> <p>SUPPLY OF GAS PRESSURE REGULATORS</p>	 <p>ISO 9001 Company</p>
---	---	---

BID DOCUMENT NO. MEC/23R8/01/51/S2/CF/00/0006

CLARIFICATIONS TO QUERIES GIVEN BY BGL / MECON



SL. No.	Clause No. as per Tender	Bidders Query / Clarification	BGL/ MECON's CLARIFICATIONS
		<p>However, if the integration and commissioning of the system is delayed due to non availability of site clearance by Owner, this balance payment of 10% will be released by BGL after 6 months from the date of material acceptance at site, against submission of bank guarantee for equivalent amount. The BG will be valid for 12 months initially and will be extended till completion of the integration and commissioning of the system, duly certified by Engineer-in-Charge (EIC). Such rescheduling, if any, will be intimated by EIC.</p> <p>As there is no integration and commissioning in bidder's scope. We understand that this clause is not applicable. Please confirm.</p>	

 Bhagyanagar Gas Ltd.	BHAGYANAGAR GAS LIMITED CITY GAS DISTRIBUTION PROJECT AT HYDERABAD, VIJAYAWADA AND KAKINADA SUPPLY OF GAS PRESSURE REGULATORS	 मेकॉन ISO 9001 Company
---	--	--

BID DOCUMENT NO. MEC/23R8/01/51/S2/CF/00/0006

CLARIFICATIONS TO QUERIES GIVEN BY BGL / MECON



SL. No.	Clause No. as per Tender	Bidders Query / Clarification	BGL/ MECON's CLARIFICATIONS
3)	INVITATION FOR BIDS (IFB) - 3.2.1 Vol I of II	We request client to accept Audited balance sheet of Calendar Year 2015 instead of Financial Year 2014-15, to enable us to Commercially Qualify the clause no 3.2 and all sub-clauses	Refer Corrigendum-1
4)	Bid due date	We request you to extend bid submission date up to 15.11.2016 as due to holidays in first week of November due to festivals.	Refer Corrigendum # 1
5)	DATASHEET Vol II of II	Domestic regulators- datasheet mentions about end connection as 1/2" X 3/4" NPT Female Loose Nut with washers We request you to accept, GI (Galvanized Iron) which is acceptable across all gas companies in India as material of Loose Nuts for Domestic Meter Regulators	The Loose Nuts (Disconnecting / Connecting union) for all meters shall be of Brass with Nickel coating only. Also Refer Corrigendum # 1.

 Bhagyanagar Gas Ltd.	BHAGYANAGAR GAS LIMITED CITY GAS DISTRIBUTION PROJECT AT HYDERABAD, VIJAYAWADA AND KAKINADA SUPPLY OF GAS PRESSURE REGULATORS	 मेकॉन ISO 9001 Company
---	--	--

BID DOCUMENT NO. MEC/23R8/01/51/S2/CF/00/0006

CLARIFICATIONS TO QUERIES GIVEN BY BGL / MECON



SL. No.	Clause No. as per Tender	Bidders Query / Clarification	BGL/ MECON's CLARIFICATIONS
6)	EMD	PI confirm bank details of Bhagyanagar Gas Limited for processing the EMD from our bank	1. Canara Bank, Prime Corporate Branch, Secunderabad, Telangana-500 003 2. A/c No.: 2657201009078 3. IFSC Code : CNRB0002657
7)	Vol-II-of-II Datasheet	<p>Service Regulators: In your data sheet, it is mentioned that two stage service regulator is required. We would like to inform you that, we have single stage service regulators of 10,25,40& 65 SCMH flow capacity conforming to EN 88- 2 std. We have supplied single stage service regulators having above capacities to Mahanagar Gas Mumbai.</p> <p>Considering above you are requested to allow us to bid for Single stage service regulator.</p>	Refer Corrigendum # 1

 <p>Bhagyanagar Gas Ltd.</p>	<p>BHAGYANAGAR GAS LIMITED</p> <p>CITY GAS DISTRIBUTION PROJECT AT HYDERABAD, VIJAYAWADA AND KAKINADA</p> <p>SUPPLY OF GAS PRESSURE REGULATORS</p>	 <p>मेकॉन ISO 9001 Company</p>
---	---	---

BID DOCUMENT NO. MEC/23R8/01/51/S2/CF/00/0006

CLARIFICATIONS TO QUERIES GIVEN BY BGL / MECON



SL. No.	Clause No. as per Tender	Bidders Query / Clarification	BGL/ MECON's CLARIFICATIONS
8)	Vol-II-of-II Datasheet	<p>Commercial Pressure regulators: You have mentioned to bid for two stage commercial regulators to reduce InletPressure of 0.5 to 6 bar to 300 millibar outlet pressure for the flow rate of 10,25,40,65 & 80 SCMH. Considering lowdifferential pressure, we request you to use single stage commercial pressure regulators, we have supplied singlestage commercial regulators to Mahanagar Gas Ltd Mumbai, Maharashtra Natural gas Ltd. Pune & Central UP gasltd. Kanpur. Our single stage commercial regulators are comply to EN 88-2 std.</p> <p>Considering above you are requested to allow us to bid for Single stage commercial regulator.</p>	Refer Corrigendum # 1

 Bhagyanagar Gas Ltd.	BHAGYANAGAR GAS LIMITED CITY GAS DISTRIBUTION PROJECT AT HYDERABAD, VIJAYAWADA AND KAKINADA SUPPLY OF GAS PRESSURE REGULATORS	 मेकॉन ISO 9001 Company
---	--	--

BID DOCUMENT NO. MEC/23R8/01/51/S2/CF/00/0006

CLARIFICATIONS TO QUERIES GIVEN BY BGL / MECON

SL. No.	Clause No. as per Tender	Bidders Query / Clarification	BGL/ MECON's CLARIFICATIONS
9)	SECTION - II Material Requisition & Data Sheets for Gas Pressure Regulators Group A & Group B, Page no.9,10 & 11	<p>Bidder understand that as per best industry practice, Inlet operating Pressure range for regulators shall be 0.5 to 5 bar(g), as the network pressures is up to 4 bar(g).</p> <p>We are therefore requesting BGL to accept the inlet pressure range from 0.5 bar to 5 bar (g), instead of 0.5 bar to 6 bar (g).</p>	Tender conditions prevail
10)	Vol-II-of-II Datasheet (ITEM NO. A.1.0)	<p>This is regarding the domestic regulator as mentioned in the Group A, A.1.0. The capacity of this high inlet pressure regulator is given as 2.5 scmh. We wish to inform that similar regulator is being used by Sabarmati Gas limited, GSPC, GGCL, Adani with 1.6 scmh capacity for more than a decade now with no issues with respect to capacity. We ourselves have supplied over couple of lakh of regulator to all these companies. Also attached herewith the tender technical specification sheet of this regulator from Sabarmati gas, our specification</p>	Tender conditions prevail

 Bhagyanagar Gas Ltd.	BHAGYANAGAR GAS LIMITED CITY GAS DISTRIBUTION PROJECT AT HYDERABAD, VIJAYAWADA AND KAKINADA SUPPLY OF GAS PRESSURE REGULATORS	 मेकॉन ISO 9001 Company
---	--	--

BID DOCUMENT NO. MEC/23R8/01/51/S2/CF/00/0006

CLARIFICATIONS TO QUERIES GIVEN BY BGL / MECON

SL. No.	Clause No. as per Tender	Bidders Query / Clarification	BGL/ MECON's CLARIFICATIONS
		sheet and order copy from Sabarmati Gas. 1.6scmh is the standard capacity of the high inlet pressure regulator available in the Indian market. We request you to kindly look in to this and change the A.1.0 domestic regulator capacity from 2.5 scmh to 1.6 scmh.	
11)	General	--	Corrigendum #1 has been issued.
12)	General	--	The Queries & Replies and Corrigendum #1, thus issued shall form part of the Tender Document and shall be taken care of before submission of the bid.